

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/365712660>

Prediction of Brand Loyalty on Supervised Machine Learning Algorithms

Article in *International Journal of Advanced Research in Electrical Electronics and Instrumentation Engineering* · October 2021

DOI: 10.15662/IJAREEIE.2021.1010030

CITATIONS

0

READS

2

1 author:



Vijay Reddy Madireddy
hindawi

20 PUBLICATIONS 6 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



machine learning [View project](#)



e-ISSN: 2278-8875

p-ISSN: 2320-3765

International Journal of Advanced Research

in Electrical, Electronics and Instrumentation Engineering

Volume 10, Issue 10, October 2021

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.282

☎ 9940 572 462

☑ 6381 907 438

✉ ijareeie@gmail.com

@ www.ijareeie.com



Prediction of Brand Loyalty on Supervised Machine Learning Algorithms

Dr.Vijay Reddy Madireddy

Assistant Professor, Swami Ramananda Tirtha Institute of Science and Technology, Nalgonda, India

ABSTRACT: Supervised Machine Learning (SML) is the quest for algorithms that explanation from remotely provided occurrences to deliver general speculations, which then make predictions about future instances. The present exploration investigates the loyalty prediction issue of a brand through supervised learning algorithms of characterizations: logistic regression, decision tree, support vector machine, bayes algorithm and K-nearest neighbors (KNN) algorithm. 265 clients' FMCG loyalty test information were taken and factors of the informational collection incorporate; loyalty status, orientation, family size, age, recurrence of procurement, and FMCG buy. Information have been investigated with the assistance of Python packages like Pandas(Data analysis), Numpy (Mathematical estimation), Matplotlib (Visualization), and Sklearn (Displaying).

KEYWORDS: Supervised Machine Learning, K-nearest neighbors (KNN),

I. INTRODUCTION

Machine Learning has become one of the pillars of Data Innovation and with that, a fairly focal, but normally covered up, part of our life. With the consistently expanding measures of data opening up there is a valid justification to accept that brilliant data analysis will turn out to be considerably more inescapable as an essential element for mechanical progress[1]. There are a few applications for Machine Learning (ML), the most critical of which is data mining [2]. Individuals are frequently inclined to making mistakes during investigations or, perhaps, while attempting to lay out connections between various elements[3]. Brand loyalty lessens marketing costs, improves the income makes positive discernments lastly adds to returns of investment. Jacoby and Chestnut characterizes brand loyalty as a one-sided decision making over elective brands. Brand loyalty as of late has advanced from single feature to composite [4]. One dimensional Brand Loyalty: The conduct approach of the brand loyalty regards loyalty as a way of behaving. As indicated by social methodology, the client who buys a similar brand over timeframe can be treated as faithful. Social loyalty is a stochastic cycle subsequently it is hard to comprehend. In any case, buy conduct isn't the main standards to characterize the loyalty since client might buy similar item for various reasons [5]. Machine learning algorithms are coordinated into a scientific classification in view of the ideal result of the algorithm. Supervised learning produces a capability that guides contributions to wanted outputs. Phenomenal data age has made machine learning strategies become complex every once in a while. This has called for usage for a few algorithms for both supervised and unsupervised machine learning. Supervised learning is genuinely normal in order issues in light of the fact that the objective is frequently to get the PC to become familiar with a characterization framework that we have made [6].

II. SUPERVISED LEARNING ALGORITHMS

1. Decision Trees

Decision Trees (DT) are trees that group examples by arranging them in light of element values. Every node in a decision tree addresses a component in an occasion to be grouped, and each branch addresses a worth that the node can expect. Occurrences are characterized beginning at the root node and arranged in light of their element values [7]. Decision tree learning, utilized in data mining and machine learning, utilizes a decision tree as a prescient model which maps perceptions about a thing to decisions about the thing's objective worth. More clear names for such tree models are grouping trees or regression trees [8]. Decision tree classifiers normally utilize post-pruning methods that assess the exhibition of decision trees, as they are pruned by utilizing an approval set.

2. Support Vector Machine (SVM)

These are the latest supervised machine learning technique. Support Vector Machine (SVM) models are closely related to traditional multi-facet perceptron neural networks[9]. SVMs rotate around the thought of a —marginl— either side



of a hyperplane that isolates two data classes. Expanding the edge and in this way making the biggest conceivable distance between the isolating hyperplane and the cases on one or the other side of decreasing an upper bound on the normal speculation error has been demonstrated.

3. Regression analysis:

Regression can gauge the relationship between one reaction and a bunch of independent variables. Regression incorporates many models, for example, Straight Regression (Dependent and independent variable-nonstop), Logistic Regression (Dependent variable-double (0/1)), Polynomial Regression (Force of independent variable is mutiple), Edge Regression (edge regression shrinks the coefficients and it assists with decreasing the model intricacy (L2 punishment)), Tether Regression (Arrangements the multi-co linearity and furthermore helps in highlights choice element designing, (L1 punishment)), and Versatile Net Regression(Both L1(set a few coefficients to nothing) and L2 (shrink coefficients) penalty) .

4. The K-nearest neighbors (KNN) algorithm

The K-nearest neighbors (KNN) are a non-parametric supervised machine learning algorithm which groups the data yet doesn't work with high dimensional data. It is non-parametric, consequently doesn't need fundamental suspicions about data circulation[10]. It is additionally called as non parametric lazy learning algorithm.

III. METHODOLOGY

The current exploration investigates the loyalty prediction issue of the brand through supervised learning algorithms of characterization, for example, logistic regression, decision tree, support vector machine, bayes algorithm and K-nearest neighbors (KNN) algorithm[11]. For dissecting the supervised learning algorithms of characterization the accompanying approach have applied (Figure-1).




Figure 1:Methodology of Proposed Research

An example of 265 FMCG steadfast clients has taken from Hyderabad/Telangana/India. The data set of the examination comprises of loyalty status, orientation, family size, age, recurrence of procurement, and FMCG purchase[12].

1. DATA ANALYSIS AND INTERPRETATION

Supervised learning algorithms have been executed through three stage processes stacking of packages, data cutting and precision estimation[13]. The initial two stages are normal for every one of the supervised strategies and last step fluctuates alongside the picked model.



2. Loading packages

Python packages of Pandas (Data analysis), Numpy (Mathematical estimation), Matplotlib (Perception), and Sklearn (Demonstrating) are expected for execution of supervised learning algorithms[14]. Subsequently with the assistance of following code the packages were imported.

```
# Loading of required packages
pandas
numpy
matplotlib.pyplot
```

Figure 2: Loading Packages

3. Data Splitting

When required packages were stacked into the python the data set needs to part into train data set and test dataset through scikit-learn (sk-learn) technique[15]. The exploration utilizes 80% of the examination data as preparing data and rest of the 20% as testing data.

```
# Data splitting
# The research splits the data set with the help of the
following code
dataset = pd.read_csv(fmecg_loyalty)
training_features = ['age', 'gender', ' family size ',
' frequency of purchase', ' FMCG purchase']
target = ' loyalty status '
```

Figure 3:Data Splitting

IV. CONCLUSION


The brand loyalty prediction of FMCG with various machine learning algorithms like regression, decision tree, support vector machine, bayes algorithm and K-nearest neighbors (KNN) algorithm are executed for the 265 example dataset. ML characterization requires exhaustive tweaking of the boundaries and simultaneously sizeable number of occurrences for the data set. It is inevitable to assemble the model for the algorithm just yet accuracy and right classification. Among the supervised characterization algorithms, logistic regression has outflanked than different strategies. The examination contributes for the better comprehension of FMCG brand loyalty and is a definitive dream of any branding proficient.

REFERENCES

- [1]. Adithya Vuppula, "OPTIMIZATION OF DATA MINING AND THE ROLE OF BIG DATA ANALYTICS IN SDN AND INTRADATA CENTER NETWORKS" International Journal of Scientific Development and Research (IJS DR), Volume 1 Issue 4, April 2016.
- [2]. Kola Vasista, "ROLE OF A STOCK EXCHANGE IN BUYING AND SELLING SHARES", International Journal of Current Science (IJCS PUB), Volume 12, Issue 1, ISSN: 2250-1770.
- [3]. I. Ahmad and K. Pothuganti, "Smart Field Monitoring using ToxTrac: A Cyber-Physical System Approach in Agriculture," International Conference on Smart Electronics and Communication (ICOSEC), pp. 723-727, doi: 10.1109/ICOSEC49089.2020.9215282.
- [4]. Satya Nagendra Prasad Poloju, "An Overview on Cloud Computing Technologies", International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 4, Issue 10, October 2015.
- [5]. Ramana, solleti, "A Two-Level Authentication Protocol for Secure M-Commerce Transactions using AMQP Protocol – Design Engineering, Issue: 6, ISSN Number 0011-9342
URL:<http://www.thedesignengineering.com/index.php/DE/article/view/2047>
- [6]. Peddyreddy. Swathi. A Study On The Restrictions Of Deep Learning. Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN) ISSN: 2799-1172, 2(02), 57–61. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/444>
- [7]. Kola Vasista, "TYPES AND RISKS INVOLVED TOWARDS INVESTING IN MUTUAL FUNDS", International Journal of Current Science (IJCS PUB), Volume 12, Issue 1, ISSN: 2250-1770.



- [8]. Peddyreddy. Swathi. Industry Applications of Augmented Reality and Virtual Reality. Journal of Environmental Impact and Management Policy(JEIMP) ISSN:2799-113X, 2(02), 7–11. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/453>
- [9]. Satya Nagendra Prasad Poloju, “DATA MINING AS A SUPPORT FOR BUSINESS INTELLIGENCE APPLICATIONS TO BIG DATA” , International Journal of Creative Research Thoughts (IJCRT), Volume 7, Issue 2.
- [10]. S. Ramana, S. C. Ramu, N. Bhaskar, M. V. R. Murthy and C. R. K. Reddy, "A Three-Level Gateway protocol for secure M-Commerce Transactions using Encrypted OTP," *International Conference on Applied Artificial Intelligence and Computing (ICAAIC)*, pp. 1408-1416. doi: 10.1109/ICAAIC53929.2022.9792908.
- [11]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," *International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT)*, pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.
- [12]. Peddyreddy. Swathi. Implications For Research In Artificial Intelligence. Journal of Electronics,Computer Networking and Applied Mathematics(JECNAM) ISSN : 2799-1156, 2(02), 25–28. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/447>
- [13]. Adithya Vuppula, “A Study on Minnesota Intrusion Detection System (Minds)” *International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)*, Volume 1, Issue 1, November.
- [14]. Kola Vasista, “A REVIEW ON THE VARIOUS OPTIONS AVAILABLE FOR INVESTMENT”, *International Journal of Creative Research Thoughts (IJCRT)*, Volume 7, Issue 2, ISSN: 2320-2882.
- [15]. Satya Nagendra Prasad Poloju, “BIG DATA ANALYTICS: DATA PRE-PROCESSING, TRANSFORMATION AND CURATION”, *International Journal of Creative Research Thoughts (IJCRT)*, Volume 5, Issue 2 ,2017
- [16]. Kola Vasista, “Regulatory Compliance and Supervision of Artificial Intelligence, Machine Learning and Also Possible Effects on Financial Institutions”, *International Journal of Innovative Research in Computer and Communication Engineering*, Volume 9, Issue 6, June .
- [17]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," *International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT)*, pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.
- [18]. Adithya Vuppula, “EFFICIENCY AND SCALABILITY OF DATA MINING ALGORITHMS”, *International Journal of Scientific Development and Research (IJSDR)*, Volume 4 Issue 9, September 201.
- [19]. Kola Vasista, “Scope for the Usage of Ai and Machine Learning in Portfolio Management and Possible Effects on Consumers and Investors”, *International Journal of Innovative Research in Science, Engineering and Technology*, Vol. 5, Issue 2, February 2016
- [20]. Ramana, solleti, A Two-Level Protocol for Secure Transmission of Image using IOT Enabled devices *Webology*, Volume 18, Issue 5, ISSN Number: 1735-188X
URL: <https://www.webology.org/abstract.php?id=2194>
- [21]. Satya Nagendra Prasad Poloju, “Privacy-Preserving Classification of Big Data”, *International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering*, Vol. 2, Issue 4, April 2013.
- [22]. Adithya Vuppula, “Integrating Data Mining with Cloud using Four Levels of Data Mining Services” *International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)*, ISSN: 2582-7219, Volume 4, Issue 5, May 202.
- [23]. Satya Nagendra Prasad Poloju. “Relevant Technologies of Cloud Computing System”. *International Journal of Engineering Research and Applications*, ISSN: 2248-9622, Vol. 4, Issue 4, (Version-3) April 2014, pp. 74-78
- [24]. Ramana, solleti, “A Two-Level Authentication Protocol for Secure M-Commerce Transactions using Encrypted OTP– *International Journal of Mechanical Engineering*, Volume 7, Issue: 3, ISSN Number 0974-5823



INNO SPACE
SJIF Scientific Journal Impact Factor
Impact Factor: 7.282



ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



International Journal of Advanced Research

in Electrical, Electronics and Instrumentation Engineering

 **9940 572 462**  **6381 907 438**  **ijareeie@gmail.com**



www.ijareeie.com

Scan to save the contact details